

## ORTHOPAEDIC INSTITUTE OF DAYTON, INC.

December 17, 1999

0396 '99 DEC 28 AIO :20

Pietro Seni, M.D., FACS\*
Total Joint Replacement
Foot & Ankle
Reconstructive Surgery

Frank P. Mannarino, M.D.\*

Knee Surgery & Sports Medicine

Richard W. Forster, M.D., FRCS\*

\* Total Joint Replacement

Paul A. Nitz, M,D.\*

Shoulder & Knee Surgery
& Sports Medicine

Steve J. Gabel, M.D.\*

Foot and Ankle Reconstructive
Surgery

Marcos E. Amongero, M.D.\*

Surgery of the Spine

Gene C. Kim, M.D. Hand Surgery

Barry A. Fisher, M.D.
Primary Care Sports Medicine

\*Certified by the American Board of Orthopaedic Surgery

3205 Woodman Drive Dayton, Ohio 45420

937/298-4417 FAX: 937/298-8260 Web Site http://www.rosi.com/ Document Management Branch (HFA-305) Food and Drug Administration 5630' Fishers Lane, Room 1061 Rockville, MD 20852

Re: Docket number 97N-484S

To whom it may concern:

I am writing this letter in response to the recent issue arising before the FDA on the proposal to regulate allografts, specifically cortical bone dowels as devices.

I am against any re-classification of bone dowels as devices: Bone dowels have been out for quite some time and they fall well within the conceptual standard of care of interbody fusions that have been done for a number of years. Interbody fusions with allografts have been done for quite some time, and I don't think regulating allografts at this time would serve any useful purpose for patients.


Allograft bone is used in multiple different settings in the spine and in other orthopaedic procedures. Creating a new regulatory classification scheme that allograft is in some way a device will only serve to make allograft less readily obtainable, more costly, and will ultimately hurt patient care. Allograft bone dowels are, like all allograft use, a very natural, i.e., nonsynthetic product, and I feel, as do many spine surgeons, far safer and better to use than metal devices. I think the ability to continue to use allograft and its free availability is very important to my practice and to patients.

Sincerel

Marcos E. Amongero, M.D.

MEA:mms/58

File: 1617mea



## ORTHOPAEDIC INSTITUTE OF DAYTON, INC.

3205 Woodman Drive Dayton, Ohio 45420



Document Management Branch (HFA-305) Food and Drug Administration 5630 Fishers Lane, Room 1061 Rockville, MD 20852

20427-0001

Indelline Indulated And Hondle and Indialization It